

Tabelle1

Motordrehzahl (G28) /min	Ladedruck (Sollwert) mbar	Ladedruck (Istwert) mbar	Ansaugluft- temperatur (G42) °C	Ladedruckventil (N75) Ansteuerung %
1360	270.0	1030.0	42.0	0.0
1320	270.0	1030.0	42.0	0.0
1320	270.0	1030.0	42.0	0.0
1320	270.0	1030.0	42.0	0.0
1320	270.0	1030.0	42.0	0.0
1320	270.0	1030.0	42.0	0.0
1280	270.0	1030.0	42.0	0.0
1280	270.0	1030.0	42.0	0.0
1280	270.0	1030.0	42.0	0.0
1320	640.0	1030.0	42.0	0.0
1280	1060.0	1030.0	42.0	0.0
1320	1440.0	1020.0	42.0	94.9
1320	1400.0	1030.0	42.0	94.9
1360	1390.0	1050.0	42.0	94.9
1360	1400.0	1060.0	42.0	94.9
1400	1420.0	1080.0	42.0	94.9
1400	1410.0	1100.0	41.0	94.9
1440	1420.0	1120.0	41.0	94.9
1480	1420.0	1130.0	40.0	94.9
1520	1420.0	1150.0	40.0	94.9
1520	1440.0	1160.0	39.0	94.9
1560	1440.0	1180.0	39.0	94.9
1600	1460.0	1190.0	39.0	94.9
1600	1460.0	1200.0	39.0	94.9
1640	1470.0	1220.0	39.0	94.9
1680	1470.0	1230.0	39.0	94.9
1720	1470.0	1240.0	38.0	94.9
1720	1480.0	1250.0	38.0	94.9
1760	1490.0	1260.0	38.0	94.9
1800	1510.0	1270.0	38.0	94.9
1840	1530.0	1290.0	38.0	94.9
1880	1550.0	1310.0	37.0	94.9
1920	1590.0	1320.0	37.0	94.9
1920	1600.0	1340.0	37.0	94.9
1960	1630.0	1360.0	36.0	94.9
2000	1700.0	1380.0	36.0	94.9
2040	1740.0	1400.0	36.0	94.5
2080	1800.0	1420.0	36.0	94.9
2120	1840.0	1440.0	36.0	94.9
2160	1900.0	1470.0	36.0	94.9
2200	1930.0	1490.0	36.0	94.9
2240	1970.0	1530.0	36.0	94.9
2280	1990.0	1580.0	36.0	94.9
2320	2010.0	1630.0	36.0	94.9
2400	2070.0	1680.0	36.0	94.9
2440	2120.0	1740.0	36.0	94.9
2480	2150.0	1810.0	36.0	94.9
2560	2160.0	1880.0	36.0	92.5
2600	2170.0	1960.0	36.0	66.3
2640	2190.0	2030.0	36.0	54.1

Tabelle1

2720	2240.0	2100.0	36.0	55.7
2800	2240.0	2170.0	36.0	55.3
2840	2250.0	2240.0	36.0	53.7
2920	2260.0	2280.0	36.0	54.9
3000	2290.0	2350.0	36.0	58.0
3080	2330.0	2410.0	36.0	57.6
3120	2370.0	2430.0	36.0	56.9
3240	2440.0	2450.0	36.0	56.5
3280	2470.0	2460.0	36.0	56.5
3320	2540.0	2470.0	36.0	56.5
3400	2540.0	2470.0	36.0	56.9
3480	2540.0	2520.0	35.0	57.6
3640	2540.0	2520.0	35.0	58.0
3600	2540.0	2550.0	35.0	58.8
3680	2540.0	2510.0	35.0	59.2
3760	2540.0	2550.0	35.0	58.8
3840	2540.0	2540.0	35.0	59.2
3880	2540.0	2540.0	35.0	59.6
3960	2540.0	2580.0	35.0	59.6
4040	2540.0	2580.0	35.0	59.6
4080	2540.0	2580.0	35.0	59.6
4160	2540.0	2580.0	35.0	59.6
4240	2540.0	2560.0	35.0	60.0
4280	2540.0	2580.0	35.0	60.0
4360	2540.0	2580.0	34.0	60.0
4440	2540.0	2580.0	34.0	60.0
4440	2540.0	2560.0	34.0	60.0
4560	2540.0	2550.0	34.0	59.6
4600	2540.0	2540.0	34.0	59.6
4680	2540.0	2530.0	34.0	60.0
4760	2540.0	2530.0	34.0	60.0
4800	2540.0	2520.0	34.0	60.0
4880	2540.0	2510.0	34.0	60.4
4880	2540.0	2500.0	34.0	61.2
4960	2530.0	2490.0	33.0	61.6
5040	2530.0	2500.0	33.0	61.6
5080	2530.0	2520.0	33.0	62.0
5160	2520.0	2510.0	33.0	62.0
5200	2520.0	2510.0	33.0	62.4
5280	2510.0	2500.0	33.0	62.4
5320	2510.0	2490.0	33.0	62.7
5400	2510.0	2490.0	33.0	62.7
5400	2510.0	2500.0	33.0	63.1
5520	2500.0	2500.0	33.0	63.1
5560	2500.0	2470.0	33.0	63.1
5600	2500.0	2450.0	33.0	63.5
5640	2500.0	2440.0	33.0	65.1
5720	2490.0	2450.0	33.0	66.7
5760	2490.0	2460.0	33.0	69.0
5800	2490.0	2480.0	33.0	69.8
5880	2470.0	2480.0	33.0	71.0
5920	2460.0	2470.0	33.0	72.2
6000	2450.0	2470.0	33.0	72.2

Tabelle1

6040	2440.0	2450.0	33.0	72.5
6080	2420.0	2440.0	33.0	72.5
6160	2400.0	2400.0	33.0	72.2
6160	2400.0	2390.0	33.0	71.8
6240	2400.0	2380.0	33.0	72.2
6280	2390.0	2360.0	33.0	71.8
6360	2380.0	2340.0	33.0	72.2
6360	2380.0	2330.0	33.0	72.5
6440	2360.0	2320.0	33.0	72.9
6480	2360.0	2300.0	33.0	72.9
6520	2350.0	2290.0	33.0	73.3
6560	2350.0	2290.0	33.0	73.7
6640	2340.0	2270.0	33.0	74.5
6680	2310.0	2250.0	34.0	74.9
6680	2310.0	2240.0	34.0	75.7
6760	2130.0	2230.0	34.0	76.1
6800	1990.0	2220.0	34.0	76.9
6800	2030.0	2230.0	34.0	74.5
6880	1790.0	2220.0	34.0	63.1
6880	1570.0	2330.0	34.0	52.9
6760	430.0	2300.0	34.0	22.0
6720	300.0	1640.0	34.0	0.0
6760	300.0	1390.0	33.0	0.0
6760	300.0	1300.0	32.0	0.0
6720	300.0	1280.0	32.0	0.0
6720	300.0	1260.0	31.0	0.0
6640	300.0	1250.0	31.0	0.0
6680	300.0	1240.0	31.0	0.0
6640	300.0	1230.0	31.0	0.0
6640	300.0	1230.0	31.0	0.0
6560	300.0	1220.0	31.0	0.0
6560	300.0	1190.0	31.0	0.0
6520	300.0	1180.0	31.0	0.0
6480	300.0	1170.0	31.0	0.0
6440	300.0	1170.0	31.0	0.0
6440	300.0	1160.0	31.0	0.0
6440	300.0	1160.0	31.0	0.0
6360	300.0	1170.0	31.0	0.0
6360	300.0	1180.0	31.0	0.0
6360	300.0	1180.0	31.0	0.0
6280	300.0	1180.0	31.0	0.0
6280	300.0	1180.0	31.0	0.0
6280	300.0	1180.0	31.0	0.0
6240	300.0	1180.0	31.0	0.0
6200	300.0	1180.0	31.0	0.0
6200	300.0	1180.0	31.0	0.0
6160	300.0	1180.0	31.0	0.0
6120	300.0	1180.0	31.0	0.0
6120	300.0	1180.0	31.0	0.0
6080	300.0	1180.0	31.0	0.0
6080	300.0	1170.0	31.0	0.0
6040	300.0	1170.0	31.0	0.0
6040	300.0	1170.0	31.0	0.0

Tabelle1

6000	300.0	1170.0	31.0	0.0
6000	300.0	1170.0	31.0	0.0
5960	300.0	1170.0	31.0	0.0
5960	300.0	1170.0	31.0	0.0
5920	300.0	1170.0	31.0	0.0
5880	300.0	1170.0	31.0	0.0
5880	300.0	1170.0	31.0	0.0
5840	300.0	1160.0	31.0	0.0
5800	300.0	1160.0	31.0	0.0
5840	300.0	1160.0	31.0	0.0
5800	300.0	1160.0	31.0	0.0
5760	300.0	1160.0	31.0	0.0
5760	300.0	1160.0	31.0	0.0
5720	300.0	1160.0	31.0	0.0
5720	300.0	1160.0	31.0	0.0
5680	300.0	1150.0	31.0	0.0
5680	300.0	1150.0	31.0	0.0
5640	300.0	1150.0	32.0	0.0
5640	300.0	1150.0	32.0	0.0
5600	300.0	1150.0	32.0	0.0
5560	300.0	1150.0	32.0	0.0
5560	300.0	1150.0	32.0	0.0
5560	300.0	1150.0	32.0	0.0
5520	300.0	1140.0	32.0	0.0
5520	300.0	1140.0	32.0	0.0
5440	300.0	1140.0	32.0	0.0
5440	300.0	1140.0	32.0	0.0
5440	300.0	1140.0	32.0	0.0
5400	300.0	1140.0	32.0	0.0
5400	300.0	1140.0	32.0	0.0
5360	300.0	1130.0	32.0	0.0
5320	300.0	1130.0	32.0	0.0
5320	300.0	1130.0	32.0	0.0
5280	300.0	1130.0	32.0	0.0
5280	300.0	1130.0	32.0	0.0
5240	300.0	1130.0	32.0	0.0
5240	300.0	1120.0	32.0	0.0
5200	300.0	1120.0	32.0	0.0
5200	300.0	1120.0	32.0	0.0
5160	300.0	1120.0	32.0	0.0
5160	300.0	1120.0	32.0	0.0
5120	300.0	1120.0	32.0	0.0
5120	290.0	1120.0	32.0	0.0
5080	290.0	1120.0	32.0	0.0
5080	290.0	1110.0	32.0	0.0